# Design of an Integrated Land Use and Activity-Based Travel Model System for the Puget Sound Region

Paul Waddell University of Washington Daniel J. Evans School of Public Affairs Box 352055 Seattle, WA 98195 Fax: 206-685-9044 Phone: 206-221-4161 Email: pwaddell@u.washington.edu

Maren Outwater Cambridge Systematics, Inc. 3239 198<sup>th</sup> Place, SE Issaquah, WA 98029 Phone: 425-837-1450 Fax: 425-837-1449 Maren\_Outwater/oak/camsys@camsys.com

> Chandra Bhat University of Texas Department of Civil Engineering Ernest Cockrell Jr. Hall, 6.810 The University of Texas at Austin Austin, Texas 78712 Fax: (512) 475-8744 Phone: (512) 471-4535 bhat@mail.utexas.edu

> Larry Blain Puget Sound Regional Council 1011 Western Avenue, Suite 500 Seattle, Washington 98104-1035 Fax: (206) 587-4825 Phone: (206) 464-7090 Iblain@psrc.org

> > word count: 7086

#### ABSTRACT

This paper presents the results of a design process for new integrated land use and transportation models recently completed for the Puget Sound Regional Council (PSRC). The design process began with an analysis of policy requirements and assessment of the current models in use at the PSRC and nationally, and used an iterative and participatory approach to ensure that model requirements were clearly identified and that the proposed model design would address these requirements. The development of the model requirements drew on a broad survey of the literature and of operational models, and the proposed model design offers a unique approach to the development of a new land use and travel model system that corresponds to a behavioral integration of the choice processes across relevant time frames.

# INTRODUCTION

This paper contains an assessment of requirement for new model development at the Puget Sound Regional Council (PSRC) and a set of recommendations for model design and implementation. A broad review of the literature and of operational models was conducted as part of this project, but is omitted due to space limitations. Based on emerging requirements for the use of land use and transportation models to support a growing range of policy questions relevant to transportation, land use and growth management, the Regional Council initiated in 2000 an effort to design new land use and transportation models as a long-term model improvement effort. The first stage in this effort was the identification of requirements for new model development, which emerged principally from an assessment of the kinds of policies that the Regional Council intends to examine, and the indicators and evaluation measures that need to be generated by the models to support systematic assessment of policy scenarios.

In the next section, we examine the policy context for the use of land use and transportation models at the PSRC. We then turn to an assessment of requirements for new model development, including a survey of staff from the PSRC and constituent local governments, and describe the recommendations for a behaviorally integrated model system to address these requirements, and discuss implementation issues. A brief conclusion identifies the main advantages of the proposed approach.

## **The Policy Context**

In Washington, as in most of the rest of the United States, growth management is a focal point of policy discussions as municipalities struggle to accommodate demands generated by growing population and growing average resource consumption. The United States Census figures show that the population in the four-county Puget Sound region has reached 3.8 million (U.S. Census, 2000), an increase of 19% since 1990. One forecast for 2020 puts the population at 4.26 million, with the average household size dropping to 2.34 (PSRC, 1999). Housing prices continue to escalate, the salmon listing imposes new restrictions on development, and congestion continues to worsen. At the same time, tax limitation initiatives limit the ability of government to raise taxes to fund public infrastructure investments. Planners and policymakers strive to find the delicate balance between consumer demand, environmental quality, water resources, and social needs. The Regional Council also weighs these conflicting demands in its role as a Metropolitan Planning Organization (MPO) and a Regional Transportation Planning Organization (RTPO).

The Puget Sound Regional Council is an association of cities, towns, counties, ports, and state agencies in the area encompassing King, Pierce, Snohomish and Kitsap counties, with the charge of coordinating growth management, economic and transportation efforts in the Puget Sound region. While land use decisions are a local matter, the Regional Council oversees the consistency of local decisions with the regional and state planning requirements. The Regional Council's responsibilities fall into six broad categories: transportation, growth management, countywide comprehensive plans, regional data base development, technical assistance, and discussion forum. In order to fulfill its responsibilities, the Regional Council develops policy initiatives that encourage development that is consistent with the region's transportation and land use goals. Current high priority items include:

• Congestion Management System (CMS) – Federal legislation mandates that metropolitan areas of the size of the Puget Sound Region develop a CMS. Initiatives include Commute Trip Reduction programs, Transportation Demand Management (TDM), Transportation Systems Management (TSM) and data gathering.

- Freight Action Strategy (FAST) This is a multi-jurisdictional program, with governmental and private business partners working to evaluate and consider freight mobility projects as part of the overall regional transportation strategy.
- Intelligent Transportation Systems (ITS) ITS is a multi-faceted approach to maximizing the efficiency of the region's transportation system. ITS initiatives include metering highway on-ramps and distribution of traveler information.
- Monitoring Regional Progress The Regional Council is working on a regional monitoring program that will track the region's progress towards achieving the goals articulated in VISION 2020.
- Pricing The Regional Council is investigating a politically feasible method of changing the pricing of the Puget Sound Region's transportation system. Issues under consideration by the Transportation Pricing Task Force include a vehicle miles traveled tax, a fuel tax, parking charges and a congestion pricing scheme.
- Regional Planning Functions The Regional Council, as required by federal legislation such as ISTEA and the Clean Air Act Amendments and state legislation such as the Growth Management Act, prepares a regional growth management, economic and transportation strategy and regional transportation plan. VISION 2020, the Regional Council's comprehensive plan, was updated and adopted by regional cities and counties in 1995.
- Transit Station Communities Project The Regional Council is working with 1000 Friends of Washington on a two-pronged campaign: 1) increase awareness of station area development opportunities throughout the four-county region, and 2) work directly with local governments to provide technical assistance at selected transit station locations.

The Regional Council uses models to help understand how different investments in transportation infrastructure and programming will affect the Puget Sound region. By creating different sets of policy and population assumptions, planners can forecast results of different policy scenarios. The structure of the model and the variables that make up the model will determine which sorts of scenarios the model can test most accurately.

There are a number of methods to compare different policy scenarios based on the outcomes produced by models. In developing plans for the future and assessing alternatives, the Regional Council is required by state law (RCW 47.80.030) to perform Least-Cost Planning (LCP) analysis. LCP places all alternatives on an equal basis for analysis. This form of analysis forces consideration of direct and indirect costs to find the most efficient mix of services. The Regional Council also uses cost-benefit analysis in evaluating alternatives. This process assigns monetary values to the costs of providing the program under evaluation as well as the benefits derived. The process of calculating the values can be controversial, since some items are intangible and therefore hard to value. A third method is to compare forecasted values for agreed upon indicators. In addition to using model projections to analyze options while policies are under consideration, the Regional Council uses data to track performance of adopted policies or strategies. Assessing the performance of various scenarios with the indicators makes informed choices possible. The variables used to construct the model should be also be useful in performance evaluation to make most efficient use of data.

In preparing for the design of new models over an extended period, the Regional Council staff have been interviewed to identify limitations or concerns regarding the current model system, that make it difficult to achieve the kinds of policy analysis outlined above. The model design team also distributed a survey to the Regional Council members and staff to solicit input on the current models and ideas for revisions. In addition, the recent period of comment on the Metropolitan Transportation Plan Draft Environmental Impact Statement provided a range of comments and concerns by member agencies and others, some of which relate to the current model system. These concerns provide valuable information that was taken into consideration in designing new models.

The concerns raised about the state of the practice in land use and transportation planning closely match concerns raised nationally, since the current PSRC models are similar to those used in other metropolitan areas. The PSRC uses the DRAM/EMPAL models developed by Putman to predict land use, and a four-step travel model. The Transportation Model Improvement Project (TMIP) organized a conference on Land Use Modeling in 1995, at which practitioners, consultants, and academics reviewed the state of the practice in land use and transportation modeling and raised suggestions for model improvement. These concerns and recommendations are summarized in Table 1.

[Table 1 here]

### **REQUIREMENTS FOR NEW MODEL DEVELOPMENT**

Based on the assessment of the Regional Council policy context, and the state of operational land use and transportation modeling in the U.S., the following draft requirements and recommendations were proposed in January, 2001 to guide the long-term design of new Regional Council land use and transportation models. The requirements were given as fundamental requirements that any proposed model design must meet if it is to be considered acceptable to the Regional Council. Recommendations are features that the model design should attempt to address, but must be weighed against costs and other considerations.

The requirements are divided into categories based on design elements identified for the model review process. These will form the structure for the subsequent working papers that provide a review of the literature and of operational models, and offer recommendations for the design of new land use and transportation models.

#### **Policy Analysis**

Analyze Effects of Transportation Pricing Policies The model system must be sensitive to the effects of transportation pricing policies on both travel behavior and land use.

#### Analyze Effects of Growth Management Policies

- As part of the review of local comprehensive plans for consistency with the requirements of the Growth Management Act, the model system must be able to address the impacts of proposed land use and transportation policies on housing affordability.
- The model system must be able to support the role of the Regional Council in monitoring development and compliance with the objectives of VISION 2020 and the Growth Management Act. Use of monitoring information should also be made in ongoing model refinement.

Analyze Effects of Land Use Policies

- In order to evaluate the potential effects of land policies on achievement of the urban villages strategy outlined in VISION 2020, the model system must be sensitive to policies that are designed to promote densification, infill and redevelopment.
- The model system must be sensitive to the effects of land use policies such as comprehensive land use plans, zoning, and the Urban Growth Boundary on real estate development and the location of households and firms.

Analyze Short and Long-term Policy Effects The model system must be able to assess policy effects over periods ranging from less than 5 years to 30 years.

*Support Participatory Policy Process* The model system must be designed to support a participatory policy process that includes activities such as VISION 2020, where scenarios are generated and publicly discussed. Public access to the model assumptions, theory, structure, and results is required, and the models must be explainable to a non-technical audience.

*Support Scenario Assessment* The model system must support the creation of performance indicators and evaluation measures suitable for use by the Regional Council in evaluating alternative policy scenarios using, at a minimum, Least Cost Planning and Cost Benefit Analysis techniques.

## **Travel Demand**

Analyze Travel Using Activity-based Framework The new travel models must be based on an activity-based framework in order to adequately represent the complexity and constraints of travel behavior, and influence of land use and transportation policies on travel behavior.

#### Analyze All Modes of Travel

- The model must allow comparison of different transit modes, for example rail vs. bus.
- The new model system must be capable of adequately representing non-motorized travel behavior.
- The model must allow comparison of different auto modes of travel, for example HOV with 2 or 3+ person vs. SOV.

Analyze Effects of Land Use on Transportation To support integrated planning, the model must recognize the impact of land use patterns on demand for transportation.

*Analyze Induced Demand* The model system must allow analysis of demand induced by transportation system improvements.

Analyze Effects of Environmental Factors The model system must be able to assess the impacts of environmental regulations that affect the development of environmentally sensitive lands, such as Salmon habitat, wetlands, floodplains, seismic areas, steep slopes, and other sensitive lands.

Analyze Effects of Travel Demand Management (TDM) Policies The model system must be able to assess the impacts of commute trip reduction and TDM policies, such as different work arrangements (flexible versus fixed work schedule, telecommuting or not, compressed work week or regular work week).

# Land Use and Demographics

Analyze Effects of Transportation on Land Use To support integrated land use and transportation planning, the model must recognize the effects of multi-modal transportation system and policy changes on real estate development and the location patterns of households and firms.

Analyze Effects of Urban Design The model system must be sensitive to the effects of urban design elements such as mixed land use, density, street pattern, transit service and pedestrian amenities on household and firm location and travel behavior.

# Analyze Household Choices

- The new model system must be able to analyze the residential movement and location choices made by households, and the influence on these choices of relevant housing and location characteristics.
- The new model system must be able to model the choice of household members to participate in the labor market, and to choose a work location.
- The new model system must be able to model the vehicle ownership choices of households.

*Analyze Household Choice Interactions* The new model system must be able to analyze the interactions between household choices related to residential mobility and location, labor market participation and workplace, vehicle ownership, and daily activity and travel scheduling.

Analyze Demographic Processes The new model system must be able to represent demographic processes such as the change in household size and structure, and the ageing of the population.

# Analyze Real Estate Development

- The new model system must incorporate a component to model the process of real estate development, including infill and redevelopment, and the effects of various policies on this process.
- The new models must distinguish between important types of real estate that are relevant to the goals and objectives of Vision 2020, including adequate representation of different nonresidential, residential, and mixed-use types.

*Support Analysis of TOD* The new model system must be able to support the analysis of Transit Oriented Development, including real estate development, household and business location, to assist in station area planning.

# Analyze Economic Activity

- The new model system must incorporate a macroeconomic component to model economic growth in the region and its relationship to internal and external economic drivers.
- Analyze the factors and policies influencing the location choices and real estate demands of different firms in different industries.

# Freight

Analyze Commodity and Freight Transport The new models must address freight and commodity transport within and through the region.

Analyze Modal Diversion of Goods Movement The new models must address modal choices and tradeoffs of moving goods by truck, rail, barge or air.

## **Assignment and Traffic Operations**

Analyze Multimodal Assignments The model system should be able to produce multi-modal travel assignments for roadway, transit and possibly non-motorized systems.

Analyze Traffic Operations

- The model should contain information pertinent to Commute Management Systems (CMS) policies such as workplace incentives, telecommuting, and a greater breakdown of carpool sizes.
- The model should provide information showing the effects of Transportation System Management (TSM) initiatives.

Analyze Intelligent Traffic Systems (ITS) The model system should provide output relevant to policies instituted as part of ITS such as an incident management system or public information distribution.

## **Data/Visualization and Evaluation**

Promote Common Use of Data

- The Regional Council should take into account the use of its model input, structure and output by other agencies, member governments and other outside users.
- The model system must be developed in a way that supports open and unrestricted access to the software by Regional Council staff, consultants, and constituents, in order to maintain and modify the models to meet emerging needs over time.
- The model system should support distributed access and use by Regional Council member governments, and should use consistent data for Regional Council and member agency applications.

*Manage Data Needs* The new model system must be manageable from the perspective of its data requirements. Achieve Reasonable Performance – The model system must have reasonable performance, in terms of computational efficiency, so that an entire run of the full land use and transportation model system can be accomplished within one working day.

#### Support Visualization Techniques

- The model system must provide tools to facilitate visualization of model results and comparison of scenarios in ways that are useful to non-technical audiences.
- The model must provide forecasts of system characteristics tracked by state benchmarks, for example, the benchmarks identified by the Blue Ribbon Commission on Transportation.
- The model system must produce output that allows analysis of the best mix of transportation investments.

Allow Multi-Modal Cost-Benefit Analysis This ability would enable model users to make more informed transportation investment decisions.

*Perform Uncertainty Analysis* The model must address uncertainty in the models and produce ranges of values for outputs rather than specific results to be more accurate.

## USER-NEEDS ASSESSMENT

In order to obtain systematic input on the draft requirements for the model development effort, the Regional Council distributed a survey by email, on paper, and on the web to many public agencies around the Puget Sound Region, in addition to their own staff. Respondents rated 31 potential requirements for the design of new land use and transportation models. Sixty-one individuals responded to the survey over a two-month period. The respondents

work primarily in transportation-related positions (45 of 61 respondents, or 74%), at a mixture of jurisdictional levels, as shown in Table 2.

#### [Table 2 here]

Respondents rated each of the 31 requirements from "Very Important" to "Opposed to Inclusion". For the purpose of analysis, requirements rated Very Important received 2 points, requirements rated Important received 1 point, requirements rated Not Important received 0 points, and requirements rated Opposed to Inclusion were omitted from the average. Of the 31 requirements, only one, Analyze Effects of Environmental Factors, received four or more ratings of opposed to inclusion. A summary of these survey results is shown in Table 3.

# [Table 3 here]

The most important ratings (with the highest average ratings) went to requirements related to travel demand, policy analysis, and data visualization and evaluation. The criteria receiving the highest ratings were "Analyze Effect of Land Use on Transportation" at 1.76, which was the only item receiving only 1 and 2 ratings, and "Analyze Multimodal Assignments", at 1.74. The lowest rating went to "Analyze Intelligent Traffic Systems (ITS)". The average responses for individual requirements in each category vary, but the Policy requirements are generally rated as more important than the Land Use and Demographic requirements. When using the category divisions based on supply and demand, both Demand for Travel and Implementation have two items in the top five requirements, while Measuring Impact and Demand for Travel are represented twice in the bottom five. Demand for Travel, with "Analyze Effect of Land Use on Transportation" at the top of the requirement ratings and "Analyze Intelligent Traffic Systems (ITS)" at the bottom, had the most divergent ratings. Figure 1 shows the number of respondents who rated each requirement 1 or 2 (important) as the dark bar, or 3 or 4 (unimportant or opposed to inclusion) as the striped area at the right. Shorter bars indicate that some respondents skipped the question.

[Figure 1 here]

## MODEL DESIGN RECOMMENDATIONS

The recommendations for developing new land use and travel demand models for use by the PSRC and its member governments draw on the analysis of policy requirements and on a review of the literature and operational models, as well as on the results of the model validation and data assessment tasks of this project.

The key highlights of these recommendations for the model design are:

- Represent real estate, labor and transportation demand and supply market interactions, as shown in Figure 2, within an integrated model system, as shown in Figure 3.
- Represent real estate and labor demand and supply, and their interaction, as dynamic processes using annual time periods, at the parcel level.
- Represent the temporal dimensions of activity and travel demand using as much detail that is practical for implementation. In the mid-term recommendations, we recommend 5 or more discrete time periods per day, and in the long-term recommendations, we recommend considering using 5-10 minute intervals (or continuous time) per day. Represent activity locations at the parcel level.
- Represent behavior according to agent and time frame, rather than in traditional model components that artificially separate land use and transportation:

Household Housing Demand, Labor Supply and Vehicle Demand: Represent household choices of residence, workplace, and vehicle ownership in an integrated model component of long-term household choices, influenced by multi-modal (including non-motorized) accessibility to activities.

**P**erson Vehicle Allocation, Activity Generation and Tour Pattern: Represent intra-household vehicle allocation, activity generation and scheduling, and stop and tour locations and characteristics, within an integrated personal travel demand model component, closely interacting with long-term household choice model.

Business Real Estate and Labor Demand, Commodity Transport Demand: Represent business choices of location, employment level, and commodity transport in closely integrated model components.

Real Estate Supply: Represent developer choices of new construction and redevelopment of housing and nonresidential space in an integrated model component.

Transportation Supply: Represent multi-modal transportation system supply, including non-motorized modes.

- Real Estate Market Interactions: Represent interactions of real estate demand and supply, and the resulting vacancy and price effects.
- Labor Market Interactions: Represent interactions of labor supply and demand, and the resulting vacancy and wage effects.
- Transportation Market Interactions: Represent interactions of travel demand and supply, and the resulting patterns of congestion delay and travel volume.

These recommendations for the design of the new models are further detailed by model component in Tables 4 through 7, addressing the land use, passenger travel, freight, and assignment components, respectively. Table 8 details the recommendations for representation of agents, objects and behavior for the land use and travel models.

# MODEL IMPLEMENTATION RECOMMENDATIONS

Given the model design recommendations highlighted in the preceding section, the following recommendations address the questions of implementing the proposed model design. Here, we differentiate more clearly between short-range, mid-range and long-range recommendations, and deal with more specific aspects of financial and time constraints, and opportunities for leveraging resources through cooperative development efforts. For brevity, short-term recommendations closely tied to the existing PSRC models are omitted from this discussion.

# Mid-term Implementation

In the mid-term (through mid-2005):

- Replace the current land use and travel demand forecasting models with an integrated land use and activitybased model:
  - Replace DRAM/EMPAL land use models with a new model that reflects the characteristics proposed in Table 4.
  - Integrate long-term household choices of residential location, workplace, and vehicle ownership to reflect their interdependence.
  - Interact with short-term choices of daily activity and travel through multimodal access measures.
- Replace the trip generation, distribution, mode choice and time of day components of the current travel demand models with an activity-based travel model system with the characteristics proposed in Table 2. This model will be adapted from the Portland and San Francisco activity-based models, using a discrete-time approach with 5 periods per day.
- Add a visitor trip model to the resident travel model component. This will involve conducting a travel survey of visitor behavior.
- Integrate regional economic, land use, activity based travel model components within an integrated software application, with the following extensions:
  - Add data integration component that assists in diagnosing data quality and consistency, and in the integration and refinement of data inputs for modeling.
  - Add evaluation component that includes flexible construction of indicators, and graphical visualization of results in charts and maps.
  - Add a web-based user interface to allow distributed use of model system, as shown in Figure 3.
- Develop institutional partnerships to fund the new regional model development, implementation, and maintenance.

# **Long-term Implementation**

In the long-term (through 2007):

• Replace the traffic assignment component of the travel models with a dynamic microsimulation traffic assignment model using 5-10 minute time intervals.

- Adapt the activity-based travel model to a continuous time (duration) approach to simulate travel demand using 5-10 minute time intervals, consistent with dynamic microsimulation traffic assignment.
- Expand the activity-based model to simulate travel demand for weekends. This would involve conducting an additional household travel survey on weekend days of 2-3,000 households.
- Adapt the regional economic model to a multi-region model structure to support commodity-freight transport and better reflect economic linkages to other urban areas within and near Washington.
- Expand and update the commodity-transport model component linked to the multi-region economic model.
- Develop an extended scenario evaluation component, incorporating least-cost planning, risk and uncertainty analysis, and valuation of social and environmental externalities.

#### CONCLUSIONS

The practice of land use and transportation planning is evolving rapidly, and analytical tools to support these evolving requirements are needed. Substantial progress in disaggregate land use modeling and in activitybased travel modeling provide a solid foundation to build on, but more work is needed to implement a behaviorally based and integrated modeling approach as outlined in these design recommendations.

The vast majority of the benefits to implementing the recommendations are those associated directly with addressing the design requirements, which are stated needs that the model users have identified. These benefits are not easily quantifiable, specifically because they reach much farther than the benefits to the Puget Sound Regional Council directly and will benefit all member agencies. The new models will allow the PSRC and its member agencies to address many more planning applications than they are able to do with the current models. These are summarized below:

- Evaluate freight mobility projects and their impacts on passenger mobility
- Evaluate transportation pricing policies and their impacts on travel and land use choices
- Evaluate Transit Oriented Design (TOD) projects and their impacts on local areas
- Evaluate congestion management system (CMS) and transportation system management (TSM) policies
- Evaluate Intelligent Transportation Systems (ITS) projects
- Evaluate traffic operations and localized impacts
- Evaluate impacts of visitor travel
- Evaluate impacts of weekend travel on the environment and provides better information on weekly, monthly or annual impacts
- Evaluate the impacts of the full range of transportation projects on land use
- Provide for least-cost planning, risk and uncertainty analysis and valuation of social and environmental externalities

The new models are also designed to be more useful and user-friendly to PSRC and its member agencies, as well as to other model users. Highlights of these proposed user interface features are summarized below:

- Integrates land use and activity-based travel models in a single software package
- Allows for diagnosing data quality and consistency and provides integration of data inputs for modeling with a new data integration component
- Adds graphic visualization of results and flexible construction of performance indicators
- Allows distributed use of models and model results through a web-based user interface

It may be important to note that there are additional benefits to member agencies than those directly addressing the stated model requirements. These benefits are derived primarily from the recommendations to use disaggregate data throughout the process. These disaggregate data would allow member agencies to use the new PSRC models directly for local and subarea studies within their jurisdictions, thus saving time and effort spent in disaggregate regional models for these purposes. The resources currently spent by the member agencies to disaggregate regional data for local use could then be spent in maintaining and updating the disaggregate data used in the new PSRC models. Consistency of data and models used by the PSRC and its members is a significant potential benefit from implementation of these recommendations.

The advantages of developing new integrated land use and activity-based models using disaggregate data and a behavioral basis throughout cannot be over-stated. These models are inherently more logical and are more accurate in aggregate form than their aggregate, 4-step planning model counterparts because they are based on the same decision-making choices that are present in the real world for both land use and travel decisions. Unfortunately, the benefits of improved accuracy and reliability at this point are largely anecdotal or qualitative, since there are not direct comparisons between the proposed modeling techniques and current state of the practice. It may be important to note that they are not necessarily more accurate in the base year validation statistics, since models can be "tweaked" to match observed values, but would be more accurate in the forecast years. Comparisons of improved land use and activity-based models that are compared to existing techniques completed in other metropolitan areas should be reviewed when they become available to better understand these impacts.

# REFERENCES

Bakkenta, Ben. Associate Planner, PSRC. Phone interview. November 27, 2000.

Blue Ribbon Commission on Transportation (2000). Final Recommendations to the Governor and Legislature. http://www.brct.wa.gov/ Accessed December 18, 2000.

Kitchen, Matthew. Senior Planner, PSRC. Phone interview. November 20, 2000.

Pfundt, Joel. Senior Planner. PSRC. Phone interview. January 2, 2001.

Puget Sound Regional Council (1991). Framework Plan, Interlocal Agreement, Bylaws, Policy Board Appointment Policy. Puget Sound Regional Council.

Puget Sound Regional Council (1998). Interlocal Agreement for Regional Planning in the Central Puget Sound Area. Puget Sound Regional Council.

Puget Sound Regional Council (1999). Population and Housing Estimates: 1999. http://www.psrc.org/datapubs/pubs/pophsg99-pop.htm. Accessed November 21, 2000.

Puget Sound Regional Council (July 1999) 1999 Population and Employment Working Forecasts. http://www.psrc.org/datapubs/pubs/forecasts\_1999.pdf. Accessed December 18, 2000.

United States Census (February 2001). Components of Population Change: 1990-2000. Available on the State of Washington Office of Financial Management web site at http://www.ofm.wa.gov/census2000/index.htm. Accessed April 10, 2001.

Representational	Review of Existing Models Many incompatible zonal systems are being used. Lack clear, describable basis of theory Public transit is not adequately represented in land use or transportation models.	Suggestions for Development of New Models More sophisticated about varying temporal and geographic scales relevant to different processes in urban development The underlying theory should be clear.
	Too little behavioral content to land use models Not capable of accounting for urban development as an incremental process; static cross-sectionally.	Be behaviorally based.
Operational	Insufficient validation and testing of models in U.S. Existing models do not adequately incorporate the land development decision-making process.	Minimum for model development five years. With travel costs becoming less important determinants of location choices, new models should not be structured to use travel costs as the principal influence on location.
	Not sufficiently linked to consumer choices. Inadequately linked to transportation or environmental models. Land use models are far too dependent on transportation modeling output and assumptions. Insufficient interaction between land use and transportation models. Require excessive resources, effort, execution time.	Move towards random utility-based models Should be modular in nature, not monolithic.
Analytical	Most existing models are not sufficiently sensitive to policy issues. Not geared to understanding by non-modelers.	Place greater emphasis on policy analysis, planning, and sensitivity testing within an integrated framework.
	Do not allow a valid assessment of the interaction among land use, transportation, and environmental impacts. Data, especially employment data, is a tremendous problem. Suitable for predicting urban sprawl, but are unable to assess controlled growth.	Should draw on disciplines, including economics, geography, logistics, computer science, statistics, and planning. Microsimulation, although data hungry, should be considered in any new modeling system.
		GIS and remote sensing should be considered in any new models developed. Must be capable of bi-directional aggregation/disaggregation. Cost-effectiveness of the modeling strategy as a whole should be studied.

# Table 1.Land Use Models Concerns Identified by Professional Users

# TABLE 2 Survey Respondents by Job Focus and Jurisdictional Level

	City	County	Region	State	Non-	Total
					governmental	
Environment		1	1		2	4
Land use	5		7			12
Transportation	8	11	17	8	1	45

The row headings indicate the focus of the organization where respondents work; the column headings show the scale of the jurisdictions.

<b>TABLE 3 Summary of</b>	f User Needs	Survey Results
---------------------------	--------------	----------------

Category	Description	Very	Imp.	Not	Avg.	Oppos
		Imp.		Imp.	Rating	ed
		(2)	(1)	(0)		(omit)
Policy	Analyze Effects of Transportation Pricing Policies	30	26	1	1.51	1
	Analyze Effects of Growth	32	24	3	1.49	0
	Management Policies					
	Analyze Effects of Land Use Policies	38	19	2	1.61	0
	Analyze Short and Long Term Policy	20	33	5	1.26	1
	Effects					
	Support Participatory Policy Process	23	22	12	1.19	0
	Support Scenario Assessment	25	26	5	1.36	1
Travel demand	Analyze Travel Using Activity-Based	22	30	4	1.32	0
	Framework					
	Analyze All Modes of Travel	37	20	1	1.62	0
	Analyze Effects of Land Use on	45	14	0	1.76	0
	Transportation					
	Analyze Induced Demand	26	28	2	1.43	1
	Analyze Effects of Environmental	12	26	17	0.91	4
	Factors					
	Analyze Effects of Travel Demand	22	29	6	1.28	0
	Management					
Land use/demographics	Analyze Effects of Transportation on Land Use	29	28	1	1.48	1
	Analyze Effects of Urban Design	23	27	9	1.24	0
	Analyze Household Choices	11	39	8	1.07	0
	Analyze Household Choice Interaction	14	33	11	1.05	0
	Analyze Demographic Processes	20	31	8	1.20	0
	Analyze Real Estate Development	14	35	9	1.09	1
	Support Analysis of TOD	21	28	8	1.23	1
	Analyze Economic Activity	14	27	15	0.98	2
Freight	Analyze Commodity and Freight Transport	24	26	7	1.30	0
	Analyze Modal Diversion of Goods Movement	14	28	14	1.00	1
Traffic assignment and	Analyze Multimodal Assignments	45	11	2	1.74	0
operation	Analyze Traffic Operations	16	30	11	1.09	1
•	Analyze Intelligent Traffic Systems	7	31	18	0.80	2
	(ITS)					
Data/visualization and	Promote Common Use of Data	38	16	2	1.64	0
evaluation	Manage Data Needs	37	17	2	1.63	0
	Achieve Reasonable Performance	16	24	13	1.06	1
	Support Visualization Techniques	34	21	2	1.56	1
	Allow Multimodal Cost-Benefit Analysis	20	30	6	1.25	1
	Perform Uncertainty Analysis	16	21	17	0.98	2

**TABLE 4 Land Use Model Recommendations** 

Element	Options and Recommendations (in bold)	Reasons for Recommendation
Temporal Framework	Cross-Sectional * Dynamic	Accommodates many different timescales relevant to land use; More useful for policy analysis; Consistent with behavioral approach; Can take advantage of panel survey data
Temporal Detail	End-point forecast 5-10 year steps * Annual	Best practice in the U.S.
Spatial Detail	Forecast Analysis Zones (50-200) * Traffic Analysis Zones Grid Cells (30 – 150 meters) Parcels	Easy to check for data errors; Good for policy analysis; Partial Data is available for PSRC region
Theoretical Frameworks	Spatial Interaction * Spatial Input Output <b>Behavioral/Decision-Theoretic</b>	Behavioral realism; Transparency needed for credibility; Good for policy analysis; Unifying approach for model
Analytical Methods	Optimization * <b>Discrete Choice</b> Bayesian	Allows modeling of choices
Agent Detail	Aggregate cross-classification into types* <b>Microsimulation list with attributes</b>	More efficient to maintain list of attributes than many cross-classifications; Ease of maintaining database; Supports equity analysis; Supportive of discrete choice framework because uses disaggregate data; With many cross-classifications, data unwieldy.
Land Use-Travel Model Integration	Loosely coupled * Integrated	Consistent approach;Reflect substitutions across short and long-term choice behavior.
Macro-economic Model Integration	Link to STEP Model in mid-term * Develop Multi-region Hybrid I/O- Econometric Model in long-term	Support freight modeling;Interact with statewide scale models; Incorporate bottom-up effects of policies.
User-specified Events	No direct representation * Accommodate user-specified events: major development, business, or policy change	Recognize limitations of models to predict events such as a major corporate relocation; Do sensitivity analysis on effects of an event; Incorporate information available to planners.

Element	Options and Recommendations (in bold)	Reasons for Recommendation
Time-Unit for Analysis	Weekday * Weekday and Weekend Entire week	Captures different characteristics of weekend and weekdays (i.e., peaking characteristics); Supports air quality analysis.
Intra-individual variations in activity-travel pattern	Ignored (i.e., the activity-travel pattern is modeled based on data from one weekday or one weekend day or one week, depending on the time unit used in the analysis) * Recognized (requires multiple time-unit observations)	Data limitations No operational models that include this.
Temporal Representation	Discrete with further consideration of continuous Peak versus off-peak * More disaggregate time periods (for example, 4-6 time periods in the day) Continuous-time	Use five or six time periods for better temporal resolution; Supports policy analysis (i.e., congestion pricing); Practical implementation issues to move towards continuous
Spatial Detail	Forecast Analysis Zones (50-200) Traffic Analysis Zones * Grid Cells (30 – 150 meters) Parcels	Same as land use model reasons
Behavioral Analysis	Aggregate trip-based approach *Disaggregate trip-based approach with nointeractions among tripsDisaggregate trip-based approach withindirect recognition of interactions amongtripsDisaggregate tour-based approach withinteractions among stops in a tour, but nointeractions among tours Disaggregate tour-based approach with indirect recognition ofinteractions among toursActivity-based approach with explicitinteractions among tours among tours	Supports policy analysis (i.e., congestion pricing); Recognizes choices of household members
Modeling Focus	Trip generation * Activity scheduling only; considers activity generation as pre-determined; i.e., assumes that number of stops of each activity type, and one or more attributes of the stops as given and models sequencing and time- scheduling of entire activity-travel pattern Activity generation and scheduling, but no explicit integration with traffic assignment <b>Activity generation and scheduling, with</b> <b>no explicit integration with traffic</b>	The current activity-based models are implemented this way so this is a practical limitation

 TABLE 5 Passenger Travel Model Recommendations

Element	Options and Recommendations	Reasons for Recommendation
	(in bold)	
Interaction Considerations	Interaction in activity-travel and car	Shows tradeoffs in choices
	allocation decisions among individuals in a	(In all these cases, the interactions
	household	may be ignored or may be considered
	Interaction in space and time Interaction	at one of several different levels of
	between in-home and out-of-home activities	comprehensiveness)
Analytical Methods	Cross-classification *	Allows for validation of model
-	Gravity methods *	
	Statistical (based on pattern-recognition or a	
	variant of this technique)	
	EconometricDiscrete choice *	
	Discrete/continuous model systems	
	Hazard duration systems	
	Structural equation systems	
	Rule-based computational-process systems	
	Linear and/or Non-linear optimization	
	formulations	
	Combinations of the above	
Agent Detail	Microsimulation list with attributes	Same as land use model reasons
	Aggregate cross-classification into types *	

 TABLE 5 Passenger Travel Model Recommendations (Continued)

Element	Options and Recommendations	Reasons for Recommendation
	(in bold)	
Time Unit for Analysis	Weekday	Data currently available
	Weekday and Weekend	
	Entire week	
Temporal Representation	Discrete-time	Shows trucker response to congestion
	Peak versus off-peak	Recognizes different temporal
	More disaggregate time periods (for example,	patterns of trucks and autos
	4-6 time periods in the day)	
	Continuous-time	
Spatial Detail	Forecast Analysis Zones (50-200)	Same as land use models
	Traffic Analysis Zones	
	Grid Cells (30 – 150 meters)	
	Parcels	
Representation of Objects	Trucks	Standard practice Allows for translation to mode and
	<b>Commodities by Weight and Value</b> Parcels/Boxes/Shipments	time
Agent Detail	Aggregate cross-classification into types	Data available
Agent Detail	Microsimulation list with attributes	Data available
Model Approach	Commodity Flow	Use Commodity
Model Approach	Vehicle Models	Flow approach for regional/national
	Hybrid Approach	and international movements
		Use Vehicle Model approach for
		local or internal truck trips
Commodity Flow Model	Small-area projections of employment and/or	•
Elements	commodity 'flow ends'	
	Mode choice models reflecting shippers' and	
	carriers' decisions	
	Flow models for various types of pickup and	
	delivery, collection and distribution operations	
Vehicle Model Elements	Trip generation relationships based on other	
	variables besides employment: locational	
	variables such as prevailing land use and	
	employment density	
	Additional trip distribution and traffic	
	assignment variables besides travel time:	
	times weighted lower on truck routes and	
	numbered highways, distance, grades, land	
	use matches at origin and destination.	

**TABLE 6 Freight Forecasting Model Recommendations** 

There are currently no freight forecasting models at PSRC, so current practice is not noted on this table.

Element	Options and Recommendations (in bold)	Reasons for Recommendation	
Temporal Representation	<b>Discrete-time for regional analysis</b> More disaggregate time periods (for example, 4-6 time periods in the day) <b>Continuous-time or 5/15 minute time</b> <b>slices for subareas</b> Peak versus off-peak *	Consistent with other model elements	
Spatial Detail	Traffic Analysis Zones with centroid connector strategies and/or Multi-node loading * <b>Point- or Link-based</b>	Supports micro-simulation for subareas	
Pedestrian and Bicycle Networks	None * Separate networks Representation of delay	Supports policy analysis	
<b>Remaining Elements are prov</b>	ided with multiple options that are all re	commendations	
Estimation of Speed and Travel Time	Functional forms to match HCM relationships Additional link variables – parking, intersection spacing, lane widths, grades, railroad crossings, etc. Separate intersection and link delay functionsWeaving sections Measure variability to represent reliability	Estimation of Speed and Travel Time	
Auto Passenger Assignments	Multi-class assignments (SOV and HOV 2, HOV 3+) * Dynamic assignment/queuing: Simplified strategies to model multi-link back-ups due to bottlenecks, Time-slice trip tables	Auto Passenger Assignments	
Transit Assignments	Multi-path * Capacity restrained (in vehicle or at Park and Ride Lots)	Transit Assignments	
Truck Assignments	Use of Passenger Car Equivalents Multi-class Assignments by Truck Type Use of Truck Networks, Prohibitions, and Preferred Routes	Truck Assignments	
Microsimulation Model Elements	The simulation unit: individual drivers vs. 'packets' vs. flow rates Transfer of O/D and network information from assignment models Driver behavior: gap acceptance, acceleration, deceleration; individual vs. typical Random (stochastic) vs. average characteristics	Microsimulation Model Elements	

 TABLE 7 Assignment and Traffic Operations Models

Representation	Recommendations
Agents	Households */Persons
_	Businesses/Jobs *
	Developers
Objects	Land *
-	Housing
	Nonresidential Buildings
	Households*/Persons*
	Businesses/Jobs*
	Political institutions/Boundaries
	Environmental Features
	Infrastructure (roads*, water, sewer, transit service*)
	Policies
Land Use and	Household Choices
Demographic	- Formation/dissolution/evolution,
Behavior	- Residential move
	- Location choice *
	Business Choices
	- Creation/dissolution/expansion/ contraction,
	- Business move
	- Location choice (of jobs) *
	Real Estate Development Choices
	- Developer land development,
	- Developer property development and Developer redevelopment
	Person Labor Market Choices
	- Labor market (active, inactive)
	- If employed, job change, place of work, hours of work/week, work arrangement (flexible versus fixed work schedule, telecommuting or not, compressed work week or
	regular work week.)
	Household vehicle ownership *
	Real estate prices (prices and rents) and vacancies
	Labor market prices (wages) and vacancies
Travel Behavior	Allocation of activities and care among individuals in a household
Traver Denavior	Generation and scheduling of activities
	- Number of stops of each type, number of tours,
	<ul> <li>Number of stops during work commute,</li> </ul>
	<ul> <li>Number of stops by type and sequence in each tour,</li> </ul>
	<ul> <li>Mode choice of each tour,</li> </ul>
	<ul> <li>Stop attributes (time-of-day of participation, activity duration, and location), and mode.</li> </ul>

 TABLE 8 Recommendations for Representation



**FIGURE 1** Survey Ratings and Number of Responses



-----> Regulation or Pricing

FIGURE 2 Interacting Urban Markets



FIGURE 3 Model Design



FIGURE 4 Web-based Model User Interface