REFERENCES

- Al-Abed, N. and H.R. Whiteley (1995), *Modelling Water Quality and Quantity in the Lower Portion of the Grand River Watershed, Ontario*, Proceedings of the International Symposium on Water Quality Modeling, April 2-5, 1995, American Society of Agricultural Engineers, Orlando, FL.
- American Public Health Association, American Water Works Association and Water Environment Federation (1992), *Standard Methods for the Examination of Water and Wastewater*, 18th Edition, edited by A.E. Greenberg, L.S. Clesceri and A.D. Eaton, American Public Health Association, Washington, DC.
- Anderson, J.R., E.E. Hardy, J.T. Roach and R.E. Witmer (1976), *A Land Use and Land Cover Classification System for Use with Remote Sensor Data*, #964, U.S. Geological Survey, Reston, VA.
- Arnold, J.G., B.A. Engel and R. Srinivasan (1993), *A Continuous Time, Grid Cell Watershed Model*, Proceedings of the Application of Advanced Information Technologies: Effective Management of Natural Resources Conference. American Society of Agricultural Engineers, St. Joseph, MI.
- Baird, F.C., T.J. Dybala, M.E. Jennings and D.J. Ockerman (1996), *Characterization of Nonpoint Sources and Loadings to Corpus Christi Bay National Estuary Program Study Area*; Corpus Christi Bay National Estuary Program, Corpus Christi, TX.
- Barrera, C.J. (1996), Personal Communication, City of Beeville Wastewater Treatment Plant, Beeville, TX.
- Brown, L.C. and T.O. Barnwell (1987), *The Enhanced Stream Water Quality Model QUAL2E and QUAL2E-UNCAS: Documentatin and User's Manual*, EPA/600/3-87/039, U.S. Environmental Protection Agency, Athens, GA.
- Chow, V.T., D.R. Maidment and L.W. Mays (1988), *Applied Hydrology*, McGraw-Hill, Inc., New York.
- Collins, M.A. and R.O. Dickey (1989), Stochastic Modeling of the Rainfall Runoff-Process for Nonpoint Source Pollutant Load Estimation, Texas Water Resources Institute, College Station, TX.
- Daly, C., R.P. Neilson and D.L. Phillips (1994), A Statistical-Topographic Model for Mapping Climatological Precipitation over Mountainous Terrain, Journal of Applied Meteorology, **33**, 140-158.

- Donigian, A.S. Jr., B.R. Bicknell and L.C. Linker (1995), *Regional Assessment of Nutrient Loadings from Agriculture and Resulting Water Quality in the Chesapeake Bay Area*, Proceedings of the International Symposium on Water Quality Modeling, April 2-5, 1995, American Society of Agricultural Engineers, Orlando, FL.
- Donigian, A.S. Jr. and W.C. Huber (1991), *Modeling of Nonpoint Source Water Quality in Urban and Non-Urban Areas*, Environmental Research Laboratory, Office of Research and Development, USEPA, Athens, GA.
- Duda, M. (1993), *Addressing Nonpoint Sources of Water Pollution Must Become an International Priority*, Water Science & Technology: Diffuse Pollution, edited by H. Olem, Pergamon Press Ltd., Oxford, UK.
- Eastman, J.R. (1990), *IDRISI A Grid Based Geographic Analysis System*, Clark University, Graduate School of Geography, Worcester, MA.
- Engel, B.A., R. Srinivasan, J. Arnold, C. Rewerts and S.J. Brown (1993), *Nonpoint Source* (NPS) Pollution Modeling Using Models Integrated with Geographic Information Systems (GIS), Water Science & Technology: Diffuse Pollution, edited by H. Olem, Pergamon Press Ltd., Oxford, UK.
- Environmental Systems Research Institute (1990), *Understanding GIS The Arc/Info Method*, ESRI, Redlands, CA.
- Evans, B.M. and D.A. Miller (1988), *Modeling Nonpoint Pollution at the Watershed Level with the Aid of a Geographic Information System*, Nonpoint Pollution: 1988, Policy, Economy, Management, and Appropriate Technology, American Water Resources Association, Bethesda, MD.
- Heidtke, T.M and M.T. Auer (1993), Application of a GIS-Based Nonpoint Source Nutrient Loading Model for Assessment of Land Development Scenarios and Water Quality in Owasco Lake, New York, Water Science & Technology: Diffuse Pollution, edited by H. Olem, Pergamon Press Ltd., Oxford, UK.
- Hession, W.C. and V.O. Shanholtz (1988), *A Geographic Information System for Targeting Nonpoint-Source Agricultural Pollution*, Journal of Soil and Water Conservation, v. 43, no. 3, 264-266.
- Hodge, W., M. Larson and W. Goran (1988), Linking the ARMSED Watershed Process Model with the GRASS Geographic Information System, Proceedings of the American Society of Agricultural Engineers 1988 International Symposium, American Society of Agricultural Engineers, St. Joseph, MI..
- Huber, W.C. (1993), *Contaminant Transport in Surface Water*, Handbook of Hydrology, edited by D.R. Maidment, McGraw-Hill, Inc., New York.

- Jacobson, B.M, J. Feng, G.D. Jennings and K.C. Stone (1995), *Watershed Scale Non-Point Source Model Evaluation for the North Carolina Coastal Plain*, Proceedings of the International Symposium on Water Quality Modeling, April 2-5, 1995, American Society of Agricultural Engineers, Orlando, FL.
- Johanson, R.C., J.C. Imhoff, J.L. Kittle, Jr. and A.S. Donigian (1984), *Hydrological Simulation Program-FORTRAN (HSPF): Users Manual for Release 8.0*, EPA-600/3-84-066, Environmental Research Laboratory, U.S. Environmental Protection Agency, Athens, GA.
- Kern, T.J. and J.D. Stednick (1993), *Identification of Heavy Metal Concentrations in Surface Waters through Coupling of GIS and Hydrochemical Models*, Application of Geographic Information Systems in Hydrology and Water Resources Management, edited by K. Kovar and H.P. Nachtnebel, International Association of Hydrological Sciences, Wallingford, UK.
- Kim, K. and S. Ventura (1993), Large-Scale Modeling of Urban Nonpoint Source Pollution Using a Geographic Information System, Photogrammetric Engineering & Remote Sensing, **59**, 1539-1544.
- Klaghofer, E., W. Birnbaum and W. Summer (1993), *Linking Sediment and Nutrient Export Models with a Geographic Information System*, Application of Geographic Information Systems in Hydrology and Water Resources Management, edited by K. Kovar and H.P. Nachtnebel, International Association of Hydrological Sciences, Wallingford, UK.
- Knisel, W. (1980), CREAMS: A Field Scale Model for Chemicals, Runoff, and Erosion from Agricultural Management Systems, U.S. Department of Agriculture, Conservation Research Report No. 26, 640 pp.
- Lambert, W.P. and E.G. Fruh (1976), A Methodology of Investigating Fresh Water Inflow Requirements of a Texas Estuary, Center for Research in Water Resources, Austin, TX.
- Leonard, R.A, W.G. Knisel and D.A. Still (1987), *GLEAMS: Groundwater Loading Effects of Agricultural Management Systems*, Transactions of the American Society of Agricultural Engineers, **30**(5): 1403-1418.
- Maidment, D.R. (1993), *Developing a Spatially Distributed Unit Hydrograph by Using GIS*, Application of Geographic Information Systems in Hydrology and Water Resources Management, edited by K. Kovar and H.P. Nachtnebel, International Association of Hydrological Sciences, Wallingford, UK.

- Maidment, D.R. and W.K. Saunders (1996), *Non-point Source Pollution Assessment of the San Antonio-Nueces Coastal Basin*; Paper presented to the Scientific and Technical Advisory Committee, Corpus Christi Bay National Estuary Program, Corpus Christi, TX.
- Matlock, M.D., D.E. Storm, M.E. Matlock, W.C. Hession and G.J. Sabbagh (1995), Periphyton Nutrient Enrichment System Method for Validating a Watershed-Scale Model, Proceedings of the International Symposium on Water Quality Modeling, April 2-5, 1995, American Society of Agricultural Engineers, Orlando, FL.
- Mitchell, J.K., B.A. Engel, R. Srinivasan and S.S.Y. Wang (1993), *Validation of AGNPS for Small Watersheds Using an Integrated AGNPS/GIS System*, Water Resources Bulletin, 29, 833-842.
- Molenaar, A., W. Bleuten, M.J. Zeylmans and N.F.M. Van Leeuwen (1993), *Application of GIS in Determining Sources and Loads of Pollutants Transported by Regional Rivers into The Netherlands*, Application of Geographic Information Systems in Hydrology and Water Resources Management, edited by K. Kovar and H.P. Nachtnebel, International Association of Hydrological Sciences, Wallingford, UK.
- Morse, G., A. Eatherall and A. Jenkins (1994), *Managing Agricultural Pollution Using a Linked Geographical Information System and Non-Point Source Pollution Model*, Journal of the Institution of Water and Environmental Management, v. 8, no. 3, 277-286.
- Newell, C.J., H.S. Rifai and P.B. Bedient (1992), *Characterization of Non-Point Sources and Loadings to Galveston Bay*; Galveston Bay National Estuary Program, Clear Lake, TX.
- Olem, H. (1993), U.S. Sharpens Focus on Non-Point Sources of Water Pollution, Engineering News Record, vol. 230, no. 24, E66 E68.
- Penumalli, B.R., R.H. Flake and E.G. Fruh (1974), Water Quality Modelling and Management Studies for Corpus Christi Bay: A Large Systems Approach, Center for Research in Water Resources, Austin, TX.
- Puckett, L.J. (1995), *Identifying the Major Sources of Nutrient Water Pollution*, Environmental Science & Technology, **29**, 408A-414A.
- Reed, S.M. and D. R. Maidment (1995), A GIS Procedure for Merging NEXRAD

 Precipitation Data and Digital Elevation Models to Determine Rainfall-Runoff

 Modeling Parameters, Center for Research in Water Resources, Austin, TX.

- Renard, K.G., G.R. Foster and T. Weesies (1993), *Predicting Soil Erosion by Water A Guide to Conservation Planning with the Revised Universal Soil Loss Equation RUSLE*, U.S. Department of Agriculture Agricultural Research Service, Washington, DC.
- Rifai, H.S., C.J. Newell and P.B. Bedient (1993), *Getting to the Nonpoint Source with GIS*, Civil Engineering, v. 63, no. 6, 44-46.
- Rudra, R.P., W.T. Dickinson and E.L. von Euw (1993), *The Importance of Precise Rainfall Inputs in Nonpoint Source Pollution Modeling*, Transactions of the American Society of Agricultural Engineers, **36**, 445-450.
- Saunders, W.K. and D.R. Maidment (1995), *Grid-Based Watershed and Stream Network Delineation for the San Antonio-Nueces Coastal Basin*; Proceedings, Texas Water '95: A Component Conference of the First International Conference of Water Resources Engineering, August 16-17, 1995, American Society of Civil Engineers, San Antonio, TX.
- Smith, R.E. (1992), *Opus: An Integrated Simulation Model for Transport of NonpointSource Pollutants at the Field Scale*, U.S. Department of Agriculture, Agriculture Research Service, ARS-98, Beltsville, MD.
- Snyder, J.P. (1987), *Map Projections A Working Manual*, US Geological Survey Paper #1395, US Government Printing Office, Washington, DC.
- Steeves, P. and D. Nebert (1994), *Hydrologic Unit Maps of the Conterminous United States*, U.S. Geological Survey, Reston, VA.
- Stuebe, M.M. and D.M. Johnston (1990), *Runoff Volume Estimation Using GIS Techniques*, Water Resources Bulletin, **26**, 611-620.
- Texas Department of Water Resources (1981), *Nueces and Mission-Aransas Estuaries: A Study of the Influence of Freshwater Inflows*, Texas Department of Water Resources, Austin, TX.
- Texas Natural Resource Conservation Commission (1994), Regional Assessment of Water Quality in the Nueces Coastal Basins, Texas Natural Resource Conservation Commission, Austin, TX.
- Thomann, R.V. and J.A. Mueller (1987), *Principles of Surface Water Quality Modeling and Control*, HarperCollins*Publishers*, Inc., New York.

- Tim, U.S. and R. Jolly (1994), Evaluating Agricultural Nonpoint-Source Pollution Using Integrated Geographic Information Systems and Hydrologic/Water Quality Model, Journal of Environmental Quality, 23, 25-35.
- U.S. Army (1987), Geographic Resources Analysis Support System (GRASS) Reference Manual, U.S. Army Construction Engineering Research Laboratory, Champaign, IL.
- U.S. Congress (1987), Water Quality Act of 1987, U.S. Congress, PL-100-4.
- U.S. Department of Commerce National Oceanic and Atmospheric Administration and U.S. Environmental Protection Agency (1993), *Coastal Nonpoint Pollution Control Program: Program Development and Approval Guidance*, USDC-NOAA Pub. # 841-B-93-003, Washington, DC.
- U.S. Environmental Protection Agency (1992), 1990 National Water Quality Inventory 305(b) Report to Congress. Washington, DC.
- U.S. Geological Survey (1970), The National Atlas of the United States of America, U.S. Geological Survey, Washington, DC.
 _______(1985), State of Texas 1:1,000,000-Scale Topographic Map, U.S. Geological Survey, Reston, VA.
 _______(1986), Land Use Land Cover Digital Data from 1:100,000 and 1:250,000-Scale Maps, Data Users Guide 4, U.S. Geological Survey, Reston, VA.
 ________(1989), Digital Line Graphs from 1:100,000-Scale Maps, Data Users Guide 2, U.S. Geological Survey, Reston, VA.
- Technical Instructions, Data Users Guide 5, U.S. Geological Survey, Reston, VA.

 (1993), 1:100,000-Scale Digital Line Graph (DLG) Data:

(1990), Digital Elevation Models, National Mapping Program

- Hydrography and Transportation Area 8, Texas and Oklahoma, US GeoData Compact Disc, U.S. Geological Survey, Reston, VA.
- Vieux, B.E. and S. Needham (1993), *Nonpoint-Pollution Model Sensitivity to Grid-Cell Size*, Journal of Water Resources Planning and Management, v. 119, no. 2, 141-157.
- von Euw, E.L., W.T. Dickinson and R.P. Rudra (1989), *Comparison of Non-PointSource Pollution Models*, Proceedings of the 1989 International Summer Meeting of the American Society of Agricultural Engineers and the Canadian Society of Agricultural Engineering, June 25-28, 1989, Paper No. 892038, American Society of Agricultural Engineers, St. Joseph, MI.

- Ward, R.C. (1984), *On the Response to Precipitation of Headwater Streams in Humid Areas*, Journal of Hydrology, **74**: 171-189.
- Williams, J.R. (1975), Sediment-Yield Prediction with Universal Soil Loss Equation Using Runoff Energy Factor, In: Present and Propective Technology for Predicting Sediment Yields and Sources, U.S. Department of Agriculture, ARS-S-40.
- Williams, J.R., P.T. Dyke and C.A. Jones (1983), *EPIC A Model for Assessing the Effects of Erosion on Soil Productivity*, Analysis of Ecological Systems: State-of -the-Art in Ecological Modeling, Developments in Environmental Modeling **5**, Elsevier Scientific Publishing Company, Amsterdam-Oxford-New York, 553-572.
- Williams, J.R., A.D Nicks and J.G. Arnold (1985), *Simulator for Water Resources in Rural Basins*, American Society of Civil Engineers Journal of Hydraulic Engineering, **111**(6): 970-986.
- Young, R.A., C.A. Onstad, D.D. Bosch and W.P. Anderson (1986), *Agricultural Nonpoint Source Pollution Model: A Watershed Analysis Tool*, Agriculture Research Service, U.S. Department of Agriculture, Morris, MN.
- Zhang, J., T.S. Tisdale and R.A. Wagner (1995), *A Watershed Phosphorus Loading Model for Taylor Creek Basin, Florida*, Proceedings of the International Symposium on Water Quality Modeling, April 2-5, 1995, American Society of Agricultural Engineers, Orlando, FL.
- Zollweg, J.A., W.J. Gburek, H.B. Pionke and A.N. Sharpley (1995), GIS-Based Modeling of Phosphorus Output from a Northeastern Upland Agricultural Watershed,
 Proceedings of the International Symposium on Water Quality Modeling, April 2-5,
 1995, American Society of Agricultural Engineers, Orlando, FL.

VITA

William Kelley Saunders was born in Westerly, Rhode Island on October 1, 1959, the son of Ruth Anna Kelley Saunders and Edwin Irving Saunders. After completing his work at the Chariho Regional High School in Wood River Junction, Rhode Island, in 1977, he entered the University of Maine in Orono, Maine, where he received the degree of Bachelor of Science in May, 1982. From 1983 until 1994, he was employed as an electronics engineer at the Naval Undersea Warfare Center in Newport, Rhode Island. In May, 1994, he was married to Elizabeth Ann Allain in Brewster, Massachusetts. In August, 1994, he entered the Environmental and Water Resources Engineering graduate program in the Civil Engineering Department at The University of Texas.

Permanent Address: 4223 Red Cloud Drive

Austin, Texas 78759

This report was word processed by the author.